



永勝鋁建材
YONG SANE

ALUMINUM ALLOY SYSTEM DESIGN

鋁合金系統設計 PRODUCT CATALOG
2024



PRODUCT

鋁合金隔間 Aluminum alloy partition
懸吊橫拉門 Suspended sliding door
落地推拉門 Floor-to-ceiling sliding door

鋁框折疊門 Aluminum frame folding door
中心旋轉門 Center pivot door
鋁框櫥櫃門 Aluminum frame cabinet

PROFESSION
QUALITY
EFFECTIVENESS
CUSTOMER FIRST



公司簡介

Company Introduction

永勝國際成立20多年，深刻了解在未來建材市場的趨勢中，鋁合金材料扮演極其重要的角色。鋁合金具有質輕、堅固耐用、容易表面處理、高耐候性、強大的可塑性、高度的模組性等特點，在建材市場被視為具有重複使用性、高環保價值的產品。

永勝國際擁有專業設計團隊，致力研發製造永勝鋁建材系列產品，引入專利組合法迎合再生綠建材概念。永勝產品以高品質、美觀、輕巧、堅固、環保、多變、快速施工為特點，應用於辦公室隔間、居家活動隔間、鋁框懸吊門、鋁框折疊門、鋁框萬向門、鋁框屏風、鋁框吊櫃、鋁框立櫃、鋁框衣櫃、鋁框櫥櫃門、多功能鋁框書櫃等領域。

永勝專業設計獲得國家各項發明專利的認可，「堅守細心、用心、安心」的理念，致力於提供客戶卓越品質的產品和專業技術服務。

Yong sane has been founded for over 20 years, deeply understands that alloy building materials will play a crucial role in the future trends of the construction materials market. It is important that aluminum alloy features lightweight, sturdy durability, ease of surface treatment, high weather resistance, significant malleability, and high strength modularity. It is regard as a product with high environmental value and reusability in the construction materials market.

Yongsheng Professional Design is recognized for obtaining various national invention patents. Our company's philosophy encompasses elements such as meticulousness, dedication, quality, and peace of mind. We are committed to providing customers with excellent quality products and professional technical services.

專利證書

Patent Certificate



//// 隔間產品 partition

20隔間	model of 20 partition	/ 04
25隔間	model of 25 partition	/ 05-06
36隔間	model of 36 partition	/ 07
60隔間	model of 20 partition	/ 08

//// 鋁框活動門 Various aluminum frame movable door

單軌拉門	Single-track sliding door	/ 10
雙軌/多軌拉門	Double-track sliding door	/ 11-12
折疊門	Folding door	/ 13
萬向門	Multi directional door	/ 14
推開門	Swing Door	/15
中心旋轉門	Center pivot door	/16
衣櫃門 櫥櫃門	Cabinet door Wardrobe door	/17
活動式玄關屏風櫃 組合層櫃	Multifunctional layer cabinet	/18
免膠玻璃上下夾料	Adhesive free glass clip	/19

//// 型材/軌道/五金配件 Material type / Hardware

各式型材	Material types	/ 20-21
各式軌道	Tracks	/ 21
五金配件	Hardware	/ 21-22

隔間產品

Compartment products

永勝鋁建材因應不同的空間需求，亦須兼具美觀與環境的結合，使用者可選用適合的鋁型材，來組合成辦公室隔間、書房隔間、居家更衣室隔間...等各式隔間。搭配玻璃建材可使空間更具明亮與通透感

Yongsane designed to meet various spatial requirements, combining aesthetics with environmental considerations. Users can choose different suitable aluminum materials to construct office partitions, study room partitions, dressing room partitions, and various other types of partitions. In addition, consumers could mix and match with glass to increase the illumination in their rooms.

 隔間型材採用專利組合工法，可重覆拆裝使用

The partition materials utilize a patented assembly method, allowing for repeated disassembly and reassembly

 複合式型材配件，可安裝不同厚度的木板、玻璃、金屬板，使用便利


The composite profile accessories enable convenient installation of different thicknesses of wood panels, glass, and laminated panels.



/// 20隔間

Model of 20 partition

主體結構尺寸 20mm x 33mm



適用於小空間或多格式設計，以20立柱為主體，搭配40組合柱做推開門片設計，材料結構簡潔，呈現空間線條細緻感。

The mode of 20 partitions, making it suitable for small spaces and multifunctional designs. It features 20 pillars as the main theme, coupled with a combination of 40 door bucket designs. The material structure of the model is neat, presenting a delicate sense of spatial lines.








/// 25隔間

Model of 25 partition

主體結構尺寸 25mm x 60mm



25隔間適用於辦公室大面積做分間隔間，以25結構立柱為主體，天、地、立、橫、分隔料皆可使用25結構立柱組合，節省材料的浪費，搭配60三向結構柱及60弧形結構柱，可以組合出符合需求的使用空間。


The model of 25 partitions, making it suitable for large office spaces for partitioning. Additionally, ceiling, floor, vertical, and horizontal partition materials can all utilize the 25 structural pillars to reduce material waste.



/// 36隔間

Model of 36 partition

主體結構尺寸 36mm x 33mm



36組合柱

40組合柱

適用於居家書房、更衣室隔間，以36結構立柱為主體，隔間牆厚度只有33mm，可減少隔間牆空間的使用，讓活動空間更大，空間利用性更廣。

Compared to other companies, the size of the model with 36 partitions is smaller and thinner than other companies' products, making it suitable for study room partitions. The main structure of 36 structural pillars, with a partition wall thickness of only 33mm. This structure of material enables greater flexibility and utilization of the living space.






/// 60隔間

Model of 60 partition

主體結構尺寸 60mm x 60mm



適用於大型廠辦，以60結構柱為主體，60結構柱內空間可以配合線路走位。天、地、立、橫、分隔料，皆可使用60結構立柱，節省材料的浪費，搭配60三向結構柱及60弧形結構柱，可以組合出符合需求的空間規格。

The model of 60 partitions, making it suitable for large spaces, such as factory offices. The structure of the model with 60 partitions is very strong, allowing for the installation of sockets on the material. Additionally, it can be assembled quickly and reused to avoid waste.



各式鋁框活動門

Various aluminum frame movable door

空間是來自門扇多樣的活動方式所組成，現代空間設計，追求的不單是空間使用的便利性，更要求高度審美感，永勝鋁建材鋁框活動門，質輕堅固耐用，可同時與多種建材做結合。如：玻璃、金屬板、木紋板材、塑料型板材及不同規格的板材搭配結合，提昇空間整體設計美學。

永勝鋁建材、鋁框型材可配搭不同的鋁框門活動五金如：快拆懸吊五金、緩衝拉門五金、天地雙軌五金、多扇同步連動門五金、自動門五金、推開門五金、多扇折疊門五金、多扇萬向門五金、中心旋轉門等，實現鋁框門多樣的收納活動，提升空間利用的智慧與便利。

The space is composed of various styles of door leaves, reflecting the modern design trend which not only emphasizes spatial convenience but also prioritizes high aesthetic appeal. Yong sane aluminum frame doors are lightweight, sturdy, and durable. They can be combined with various materials such as glass, metal sheets, wood grain panels, plastic panels, and panels of different specifications, enhancing the overall aesthetic of space design.

Yong sane Aluminum Building Materials offers a variety of aluminum frame doors that can be operated using different hardware, including quick-release suspension hardware, buffer sliding door hardware, top and bottom double-track hardware, multi-panel synchronized door hardware, automatic door hardware, swing door hardware, multi-panel folding door hardware, multi-panel accordion door hardware, center pivot door hardware, etc. These options facilitate versatile storage activities for aluminum frame doors, enhancing the intelligence and convenience of space utilization.

/// 單軌拉門

Single-track sliding door

適用於廚房拉門、廁所拉門、各式空間拉門，懸吊拉門使用範圍廣，門扇下方無軌道設計，空間整體簡約出入順暢，使用玻璃可增加室內的光透度，整體空間更明亮。如遇舊建築不須木工加強結構，皆可使用軌道外掛盒或壁所軌道來完成門扇工程，可加入緩衝拉門五金，使門扇的使用安全升級。




/// 雙軌/多軌拉門 Double-track sliding door

適用於和室拉門、廚房與客廳分隔門、衣櫃拉門，各式空間拉門，雙軌連動活動門能平行收納重疊在同一空間裡，讓鋁框門全開後的活動空間更大更具有彈性。

空間活動時，雙軌拉門可採用一固定二活動式設計，全開時活動門可收納在固定門後，加大出入口空間使用。







/// 折疊門

Folding door

折疊門是以多扇門片相連組成，透過推拉的方式來移動，並可將門片一片片折疊收整於牆邊，使空間感可完全敞開。適用於大空間走道、廚房與客廳分隔門、會議隔間門。當門扇全閉時可分隔成兩個空間使用，門扇全開時可將門扇重疊於牆側，不影響原有空間，讓使空間更靈活運用，亦可於空間狹小區域，做雙折門縮小門扇收納需求。相當適合小坪數房型。





/// 萬向門

Multi-directional door

大空間的分隔需求，首重動線與採光，亦要保持各場域適當的獨立使用性。萬向門適用於廠辦會議室空間、多向性分隔空間，鋁框門分片獨立運行於軌道上，可依需求做全閉室空間使用或半開放式空間使用。萬向門亦可做門中門設計，讓空間分隔時也可便利出入。



/// 推門 Swing door

輕質鋁材取代木框厚度感，可依據不同場所需求，選擇合適的玻璃與板材即能保持隱私，也不會阻礙採光效果，使空間更有層次感。適用於廁所推門、辦公室隔間推門、各式隔間推門。





/// 中心旋轉門 Center pivot door

適用於空間的裝飾，鋁框門原地旋轉角度變化，增加門扇層次感，在空間之間的互動便利自由。旋轉門不論開啟還是封閉時都能保持良好的視覺穿透性，無時無刻都能有效放大空間視覺。



/// 櫥櫃門

Cabinet door

適用於各式層板系統櫃，將傳統木製門板改變成鋁框玻璃門，導入燈光效果，使櫥櫃不只有收納功能更加添擺設與展示，空間整體更顯時尚風格。



/// 衣櫃門

Wardrobe door



/// 組合式層櫃

Multifunctional layer cabinet



/// 活動式屏風玄關櫃

Multi-functional folding screen

功能因應需求而產生，組合層櫃做為空間區隔、導入活動式屏風設計，同時可做為玄關屏風櫃，活動式屏風可180度旋轉、停止位置角度不受限制，進出口大小可任意變化。



/// 免膠玻璃上下夾料



N系列




S系列




專利證號：1827445

- 最時尚** 顛覆傳統，創新視覺，超流線弧形外觀。
- 最環保** 綠能建材環保設計，免AB膠、免矽膠，所有料件皆可重覆使用。
- 最科技** 最新氣密力學發明專利，專利證號：1827445
- 最快速** 一分鐘快速組裝，YS全系列夾料與玻璃的組合只需一支工具起子。
- 最實用** 適用玻璃自動門、地鉸鏈門、固定門等多種使用方式。
- 最安全** 強力橡皮墊安全設計，防止玻璃爆裂。




/// YS-95S




/// YS-95S / YS-95N
玻璃高度 = 門扇高度
-142mm(71mmx2)

/// YS-45S



/// YS-45S / YS-45N
玻璃高度 = 門扇高度
-50mm(25mmx2)



/// 玻璃上下料使用說明

1. 將強力橡皮墊放在玻璃上方
2. 將上下夾料套入玻璃，鎖緊固定螺絲即完成

/// 鋁料型材

鋁料型材



20毛刷



20立柱



20把手



20組合柱



25立柱



25窄版柱




30弧把



30淺把



36立柱



35把手




40弧把



40立柱



40淺把



40組合柱




受口柱



60三向




60弧型



60雙向




門斗柱



20扣版



櫥櫃把手




櫥櫃柱



F櫥櫃把手








F櫥櫃柱







F櫥櫃分隔條

/// 鋁料型材/軌道

鋁料型材



軌道



五金配件

鉸鍊



子母鉸鍊



旗型鉸鍊



重型緩衝鉸鍊



櫥櫃鉸鍊



折門鉸鍊

把手



U型把手



內嵌把手



暗取手

門門



方型門門



L型門門

五金配件



雙向緩衝吊輪




快拆吊輪



22L型12mm地輪



22L型24mm地輪



萬象輪



77T輪



上滑輪



水平鎖



方鉤鎖



萬用鎖座



24mm地輪




12mm地輪



下門止



氣密條



毛刷條

鋁合金系統建材

Aluminum alloy system building materials

Innovation
Quality

設計創新
品質用心

